

PRODUCT-DETAILS

83121/3-660-500

83121/3-660-500 Outdoor video station, 3gang, stainless steel



General Information

Extended Product Type	83121/3-660-500
Product ID	2TMA020010N0045
EAN	6955891806801
Catalog Description	83121/3-660-500 Outdoor video station, 3gang, stainless steel
Long Description	Video camera with automatic day/night switchover and infrared LEDs to illuminate the night shots. Hands-free device and key modules are backlit. Stamped labelling foil is enclosed. Mounting tool is enclosed. For flush-mounted installation with 83402 U-681-500/-689-500. For surface-mounted installation with 83402 AP-681-500/-689-500. Vertical/horizontal detection angle: 86°/67° Setting angle horizontal/vertical: +/-15°, mechanically adjustable Consumer units: 8

Installation

Installation Instruction	2-wire
--------------------------	--------

Technical

Number of Buttons	3
Mounting Type	Surface mounted (plaster)
Button Material	Stainless Steel
Material	Stainless steel

Color	Natural Stainless Steel
Number of Batteries	0

Environmental

Degree of Protection	IP44
RoHS Status	No declaration needed
REACH Declaration	No declaration needed
Conflict Minerals Reporting Template (CMRT)	9AKK108468A3363

Dimensions

Product Net Width	0.135 m
Product Net Height	0.043 m
Product Net Depth / Length	0.277 m
Product Net Weight	1.263 kg
Built-In Depth (t ₂)	277 mm

Classifications

ETIM 8	EC001351 - Push button panel door communication
ETIM 9	EC001351 - Push button panel door communication
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)
WEEE B2C / B2B	Business To Consumer
CN8	85177900

Categories

Low Voltage Products and Systems → Building and Home Automation Solutions → Door Entry & Access Control Systems → Welcome → Outdoor Stations



